



C 07 C

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

BEST AVAILABLE COPY

PATENT NO.: 7,077,926 B2
PATENTEE: GOFFI ET AL.
ISSUED: JULY 18, 2006
SERIAL NO.: 09/286,119
FILED: APRIL 2, 1999
TITLE: PROCESS FOR THE PRODUCTION OF VARIOUSLY PAINTED. . .

REQUEST FOR CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. §1.322

Attn: Certificate of Corrections Branch

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
OCT 30 2006
of Correction

Dear Sir:

In accordance with the provisions of 37 C.F.R. §1.322 of the Rules of Practice, which implement 35 U.S.C. 254, approval of the attached Certificate of Correction for the above-identified patent to correct the error noted below appearing in the issued patent is respectfully requested.

Most recently, in reviewing the above-identified patent, it was discovered that typographical errors appeared in Claims 1, 5, 8, 9, 10, and 11, which should be corrected.

In particular, in Column 6, line 16, (Line 3 of Claim 1), please change "envelop" to correctly read:

--envelope--.

In Column 6, line 35 (Line 22 of Claim 1), please change "envelop" to correctly read: --envelope--.

In Column 6, line 50 (Line 2 of Claim 5), after the word "at" please delete: "a".

In Column 6, line 57 (Line 1 of Claim 8), please change "gas tight" to correctly read: --gas-tight--.

OCT 31 2006

In Column 6, line 66 (Line 7 of Claim 9), please change "aides" to correctly read: --sides--.

In Column 7, line 25 (Line 9 of Claim 10), please change "arteface" to correctly read: --artifact--.

In Column 7, line 32 (Line 16 of Claim 10), please change "arrange" to correctly read: --arranged--.

In Column 8, line 26 (Line 18 of Claim 11), please delete the word: "and".


In Column 8, line 30 (Line 22 of Claim 11), after the word "end", please delete "." and insert: --;--.

In Column 8, line 31 (Line 23 of Claim 11), after the word "inner" please insert the word --side--.

Since the errors were the fault of the PTO, as is shown by the attached excerpts from the amendment sent on February 22, 2005, no fee is required for the filing of this Certificate of Correction. However, should any additional fees be required, the Commissioner is authorized to charge such fees to Deposit Account No. 03-2468.

Accordingly, approval of the attached Certificate of Correction is respectfully requested.

Respectfully submitted,
ITALO GOFFI ET AL




Frederick J. Dorchak, Reg. No. 29,298
William C. Collard, Reg. No. 38,411
Attorneys for Applicant

COLLARD & ROE, P.C.
1077 Northern Boulevard
Roslyn, New York 11576
(516) 365-9802
WCC:ke

Enclosures: Certificate of Correction in duplicate
Excerpts from the Amendment sent on 2/22/05

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: MAIL STOP Petition Certificate of Corrections, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on October 24, 2006.



Kelly Espitia

OCT 31 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 7,077,926 B2

APPLICATION NO.: 09/286,119

ISSUE DATE : JULY 18, 2006

INVENTOR(S) : GOFFI ET AL-1 CPA

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In particular, in Column 6, line 16, (Line 3 of Claim 1), please change "envelop" to correctly read: --envelope--.

In Column 6, line 35 (Line 22 of Claim 1), please change "envelop" to correctly read: --envelope--.

In Column 6, line 50 (Line 2 of Claim 5), after the word "at" please delete: "a".

In Column 6, line 57 (Line 1 of Claim 8), please change "gas tight" to correctly read: --gas-tight--.

In Column 6, line 66 (Line 7 of Claim 9), please change "aides" to correctly read: --sides--.

In Column 7, line 25 (Line 9 of Claim 10), please change "arteface" to correctly read: --artifact--.

In Column 7, line 32 (Line 16 of Claim 10), please change "arrange" to correctly read: --arranged--.

In Column 8, line 26 (Line 18 of Claim 11), please delete the word: "and".

In Column 8, line 30 (Line 22 of Claim 11), after the word "end", please delete "." and insert: --;--.

In Column 8, line 31 (Line 23 of Claim 11), after the word "inner" please insert the word --side--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

COLLARD & ROE, P.C.
1077 Northern Boulevard
Roslyn, New York 11576

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

OCT 31 2006

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,077,926 B2
APPLICATION NO.: 09/286,119
ISSUE DATE : JULY 18, 2006
INVENTOR(S) : GOFFI ET AL-1 CPA

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In particular, in Column 6, line 16, (Line 3 of Claim 1), please change "envelop" to correctly read: --envelope--.
In Column 6, line 35 (Line 22 of Claim 1), please change "envelop" to correctly read: --envelope--.
In Column 6, line 50 (Line 2 of Claim 5), after the word "at" please delete: "a".
In Column 6, line 57 (Line 1 of Claim 8), please change "gas tight" to correctly read: --gas-tight--.
In Column 6, line 66 (Line 7 of Claim 9), please change "aides" to correctly read: --sides--.
In Column 7, line 25 (Line 9 of Claim 10), please change "arteface" to correctly read: --artifact--.
In Column 7, line 32 (Line 16 of Claim 10), please change "arrange" to correctly read: --arranged--.
In Column 8, line 26 (Line 18 of Claim 11), please delete the word: "and".
In Column 8, line 30 (Line 22 of Claim 11), after the word "end", please delete "." and insert: --;--.
In Column 8, line 31 (Line 23 of Claim 11), after the word "inner" please insert the word --side--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

COLLARD & ROE, P.C.
1077 Northern Boulevard
Roslyn, New York 11576

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

OCT 31 2006.



Amendments to Claims

Listing of Claims:

Claims 1-61 Canceled.

Claim 62 (Currently Amended). A process for treating artefacts consisting essentially of the following steps in sequence:

providing an envelope formed from a transfer support consisting essentially of a single layer of material coated with a pattern, wherein said envelope ~~which~~ is adapted to receive the artefact;

sucking air from an open end of said envelope to cause said transfer support to adhere to both sides of said artefact;

transferring ~~a~~ said pattern from said transfer support to both sides of said artefact by heating said artefact and said transfer support and applying pressure to said pattern in contact with said artefact;

wherein said step of providing said envelope comprises forming said envelope from said transfer support so that said open end is defined by edge portions of said transfer support;

wherein during said sucking step, said envelope is so arranged as to retain flexibility along its periphery, thereby allowing said pressure to be applied to said pattern directly by said transfer support;

and wherein said envelope comprises an inner side contacting said object and an outer side contacting an external environment surrounding said envelope.

Claim 63 (Previously Presented). The process according to claim 62, wherein said transfer support comprises a first sheet placed above said artefact and a second sheet placed under said artefact.

Claim 64 (Previously Presented). The process according to claim 62, further comprising the step of removing said transfer support from said artefact after handling and installing the artefact.

Claim 65 (Previously Presented). The process according to claim 62, wherein, after said sucking step, the process further comprises the step of submitting said artefact and said transfer support to a first intermediate heating action at a temperature at which said transfer support is thermoformed.

Claim 66 (Previously Presented). The process according to claim 62, wherein said heating step occurs at temperatures comprised between 200°C and 230°C.

Claim 67 (Previously Presented). The process according to claim 62, wherein said heating step lasts for a time between 30 seconds and 30 minutes.

Claim 68 (Previously Presented). The process according to claim 62, wherein said transfer support is made from a gas-tight thermoformable plastics material.

Claim 69 (Previously Presented). The process according to claim 68, wherein said gas-tight thermoformable plastics material is constituted by polyvinyl alcohol.

Claim 70 (Currently Amended). An apparatus for treating artefacts consisting essentially of:

enclosing means for enclosing an artefact into an envelope formed from a transfer support consisting essentially of a single layer of material coated with a pattern;

sucking means for sucking air from an open end of said envelope to cause said transfer support to adhere to said artefact;

heating means for heating said artefact and said transfer support to transfer a said pattern from said transfer support to said artefact;

pressing means for applying pressure to said pattern in contact with said artefact to transfer said pattern onto said artefact;

wherein said enclosing means comprises forming means arranged for forming said envelope from said transfer support so that said open end is defined by edge portions of said transfer support;

wherein said pressing means comprises said transfer support which is provided with a flexible peripheral region arranged so as to allow said pressure to be directly applied by said transfer support to said pattern when air is sucked from said open end;

and wherein said envelope comprises an inner side contacting said object and an outer side contacting an external environment

surrounding said envelope.

Claim 71 (Currently Amended). A process for treating artefacts comprising the following steps in sequence:

providing an envelope formed from a ~~substantially~~ gas-tight thermoformable transfer support which is adapted to receive the artefact;

sucking air from an open end of said envelope to cause said transfer support to adhere to both sides of said artefact;

transferring a pattern from said transfer support to both sides of said artefact by heating said artefact and said transfer support and applying pressure to said pattern in contact with said artefact;

wherein said step of providing said envelope comprises forming said envelope from said transfer support so that said open end is defined by edge portions of said transfer support;

wherein during said sucking step, said envelope is so arranged as to retain flexibility along its periphery, thereby allowing said pressure to be applied to said pattern directly by

wherein said enclosing means comprises forming means arranged for forming said envelope from said transfer support so that said open end is defined by edge portions of said transfer support;

wherein said pressing means comprises said transfer support which is provided with a flexible peripheral region arranged so as to allow said pressure to be directly applied by said transfer support to said pattern when air is sucked from said open end;

and wherein said envelope comprises an inner side contacting said object and an outer side contacting an external environment surrounding said envelope.

Claim 73 (Canceled).

Claim 74 (Canceled).

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINE(S) OR MARK(S) ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.